

TUBERCULOSIS IN CANADA

Prepared by Dr. Edward Ellis, Manager, TB Prevention and Control, Public Health Agency of Canada

Origin status		Survey Year					
		2003	2004	2005	2006	2007	2008
Status Indian†	Cases	204	202	213	223	226	218
	Rate	27.9	26.4	27.4	28.2	28.0	26.6
Non-Status‡	Cases	2	4	6	7	4	9
	Rate	-	-	-	-	-	-
North American Indian§	Cases	206	206	219	230	230	227
	Rate	27.8	27.2	28.4	29.3	28.7	27.8
Métis	Cases	30	21	35	29	32	27
	Rate	9.5	6.6	10.8	8.8	9.6	8.0
Inuit	Cases	11	41	63	61	46	88
	Rate	22.1	80.4	120.7	114.3	84.2	157.5
Total Aboriginal	Cases	247	268	317	320	308	342
	Rate	22.3	23.8	27.6	27.4	25.9	28.3
Canadian-born non-Aboriginal	Cases	233	214	218	201	172	210
	Rate	1.0	0.9	0.9	0.8	0.7	0.8
Total Canadian-born	Cases	480	482	535	521	480	552
	Rate	1.9	1.9	2.1	2.0	1.9	2.1
Foreign-born**	Cases	1110	1115	1057	1076	1067	987
	Rate	16.9	16.6	15.4	15.5	15.0	13.4
Unknown	Cases	41	16	49	57	30	61
	Rate	-	-	-	-	-	-
Total††	Cases	1631	1613	1641	1654	1577	1600
	Rate	5.2	5.0	5.1	5.1	4.8	4.8
RATIOS: Rates		2003	2004	2005	2006	2007	2008
Status to non-Aboriginal Canadian-born		28.7	29.8	30.4	34.3	40.1	31.4
Inuit to non-Aboriginal Canadian-born		22.7	90.6	134.2	139.1	120.5	185.8

* Source: Canadian Tuberculosis Reporting System, January 19, 2010

† Population source for rate calculation: Registered Indian Population, Household and Family Projections 2004-2029, INAC, 2007

‡ No accurate population counts for non-Status Indian available. Rates are not calculated.

§ North American Indian = Status Indian + Non-Status Indian

|| Calculated: Canadian-born non-Aboriginal = Total population - Total Aboriginal - Total Foreign-born

**Population source for rate calculation: Statistics Canada: Demography Division, Custom Product

†† Population source for rate calculation: Statistics Canada, Demography Division, Demographic, Estimates Section, Population estimates 0-90+ July Canada - Provinces 1971-2006, updated February, 2009.